


This website uses cookies to ensure you get the best experience on our website. [More info](#)

[Nanotechnology](#)[Physics](#)[Earth](#)[Astronomy & Space](#)[Technology](#)[Chemistry](#)[Biology](#)[Other Sciences](#)[Home](#) [Nanotechnology](#) [Nanomaterials](#) [October 24, 2017](#)

Turning a pinch of salt into an electrical switch

October 24, 2017



Credit: David Serrate and Jose Martinez Castro

A team of scientists from the University of Liverpool, University College London and the University of Zaragoza in Spain has discovered a way to induce and control a fundamental electrical switching behaviour on the nano-scale.

[Featured](#)[Last comments](#)[Popular](#)

Einstein note on happy living sells for \$1.56 million Oct 25, 2017 0

Small asteroid or comet 'visits' from beyond the solar system 10 hours ago 2


Their results are reported in the journal *Nature Nanotechnology*, where the team describe how separating an atomically thin layer of rock salt material – including ordinary table salt – from the surface of metallic copper by including an atomically thin layer of copper nitride in between creates a layer of so-called "electric dipoles," whose orientation can be switched by applying a large electric field.

When most materials are turned upside-down, they look the same at the atomic level and the electrical charges in the atoms cannot have a preference for orienting along a particular direction. In some materials, however, this symmetry is broken, and these charges can line up to form electric dipoles, which can be switched between multiple orientations with an electric field. If they remain in the same orientation after the electric field is removed, the material is commonly referred to as a ferroelectric which is the electrical analogue of a ferromagnet.

Because of the intrinsic switching behaviour of ferroelectrics there is a great interest in using nanoscale ferroelectrics for a new form of high density data storage. However, the outermost layers of a ferroelectric material often lose their ability to switch when they are incorporated into an electrical circuit. This makes it difficult to scale ferroelectric materials down to the atomic scale.

To overcome these difficulties, the scientists explored whether the new emergent properties of two-dimensional (2-D) materials which are only a few atomic layers thick could be exploited to create a different kind of dipolar switching material. These materials, can have properties that are dramatically different from those of their thicker counterparts.

The team started by forming an atomically thin layer of nitrogen and copper (copper nitride) on the surface of a copper crystal. On top of this, they deposited an atomically



Yellowstone spawned twin super-eruptions that altered global climate 21 hours ago 0

A chance Amazon encounter, then a tribe's near extinction Oct 25, 2017 0

New evidence for dark matter makes it even more exotic 21 hours ago 29

[more »](#)

Phys.org



Seguir

Phys.org on facebook

Follow

1.3M people are following [Phys.org](#). [Sign Up](#) to see who your friends are following.

Relevant PhysicsForums posts

thin layer of rock salt material, specifically sodium chloride (ordinary table salt) and potassium bromide, which do not have net dipoles.

Professor Mats Persson, from the University's Department of Chemistry and the theorist of the paper, said: "This is a very exciting development and contrary to traditional wisdom that it is possible to have ferroelectric-like behaviour in atomically thin layers in a metal-insulator junction"

Many of the most promising proposed applications for 2-D materials involve incorporating them into electrical circuits, so much attention has been focused on conducting 2-D materials. However, 2-D insulators are beginning to play an increasingly important role.

"By stacking two 2-D materials, even those that are insulators, we can create new behaviour that neither material would be able to exhibit individually. This opens a wealth of new possibilities for developing a new generation of 2-D material structures." remarked Cyrus Hirjibehedin, the project's lead scientist.

The paper "Electric polarisation switching in an atomically-thin binary rock salt structure" is published in *Nature Nanotechnology*.

Explore further: [Missing link between new topological phases of matter discovered](#)

More information: Jose Martinez-Castro et al. Electric polarization switching in an atomically thin binary rock salt structure, *Nature Nanotechnology* (2017). **DOI:** [10.1038/s41565-017-0001-2](https://doi.org/10.1038/s41565-017-0001-2)

Journal reference: [Nature Nanotechnology](#)

23 shares

Provided by: [University of Liverpool](#)

[feedback to editors](#)

[Photoresist manufacturer](#) Oct 24, 2017

[Question about the resources needed in mining](#) Oct 22, 2017

[Cu-Ni Electrodeposition](#) Oct 16, 2017

[What causes 'Sticking' in pharmaceutical tablets?](#) Oct 08, 2017




[Enthalpy of an ideal gas](#) Oct 08, 2017

[How surface tension is measured for molten metals?](#) Oct 06, 2017


[More from Materials and Chemical Engineering](#)

22
Like

Tweet



Related Stories

**Missing link between new topological phases of matter discovered**

October 18, 2017

Physicists at BESSY II have investigated a class of materials that exhibit characteristics of topological insulators. During these studies, they discovered a transition between two different topological phases, one of which ...

**Liquid metal discovery ushers in new wave of chemistry and electronics**

October 19, 2017

Researchers from RMIT University in Melbourne, Australia, have used liquid metal to create two-dimensional materials no thicker than a few atoms that have never before been seen in nature.

Recommended for you

**Researchers look to patterns to envision new engineering field**

October 26, 2017

The phenomenon that forms interference patterns on television displays when a camera focuses on a pattern like a person wearing stripes has inspired a new way to conceptualize electronic devices. Researchers at the University ...

**Study takes a unique approach to new generation of smart drug delivery carriers**

October 26, 2017

Imagine a tiny capsule, smaller than the tip of a needle, that could be programmed to release medicine at a specific location in your body and is inexpensive, easy to make, and more effective than the traditional

pharmaceuticals

User comments

Please [sign in](#) to add a comment. Registration is free, and takes less than a minute. [Read more](#)

[Click here to reset your password.](#)

[Sign in to get notified via email when new comments are made.](#)

Trending News

Powered by Ideal Media



Mystery of Great Pyramid Stones' Transport Solved, Experts Say

The mystery of how builders transported stone 500 miles to build the Great ...



Teen Boys Filmed Giving Duvet To Homeless Man, Tucking Him In

Three teens stumbled upon a homeless man. The youths asked how they could ...



Expert Has Misgivings About Amber Room Discovery Near Dresden

German researchers claim to have located the missing Amber Room hidden in a ...



Here's How Much Social Security Checks Could Increase In 2018

Higher inflation tied to hurricanes likely to pad COLA increase



Tesla Model X Beats Lamborghini at Drag Race

A Tesla Model X beat a Lamborghini Aventador SV in a quarter-mile drag race ...



Einstein's Theory Of Happy Living Emerges In A 95-Year-Old Note

A note that Albert Einstein gave to a courier in Tokyo, briefly describing ...



Amazon's Second Headquarters (HQ2) Could Be One Of These 6 Cities

Atlanta, Boston, Chicago, Dallas, New York, and Washington D.C. will likely ...



5 Reasons Men Cheat

It is believed by many that all men cheat, and studies have shown that ...

Top	Help	Science X Account	Feature Stories	Android app	Connect
Home	FAQ	Sponsored Account	Latest news	iOS app	
Search	About	Newsletter	Week's top	Amazon Kindle	
Mobile version	Contact	RSS feeds	Archive		